IMBUSTATRICE

PER ABITI EVOLUTION ML/CL

PACKING MACHINE FOR CLOTHES EVOLUTION ML/CL

IMPIANTI REALIZZATI

PLANTS BUIL



Mod. ML

CARATTERISTICHE TECNICHE EVOLUTION ML


EVOLUTION ML	
MODELLO:	EVOLUTION ML
ALIMENTAZIONE:	230 V
ASSORBIMENTO:	0,166 Kw
DIMENSIONI ML:	810x300x500
CL:	810x300x2000
PESO ML:	Kg 37
CL:	Kg 57

DESCRIZIONE:

Saldatura in un secondo anzichè due secondi, velocità nel cambio di rullo di nylon, migliori condizioni di visibilità della presa di nylon. La manuale o pneumatica può essere applicata a parete o ad un carrello su ruote. Si può avere il rullo in alto con opzione in basso.

Saldatura ecologica senza emissioni nell'ambiente di fumi dannosi alla salute.







TECHNICAL INFORMATION

EVOLUTION CL	
MODEL:	EVOLUTION CL
FEEDING:	230 V
ABSORPTION:	0,166 Kw
SIZE ML:	810x300x500
CL:	810x300x2000
WEIGHT ML:	Kg 37
CL:	Kg 57

DESCRIPTION:

Solders ensted two in one second. Better you visual condition of catching the nylon. Manual or pneumatic can be applied at wall or on trolley with whels. You can have up roller or in option low. Ecological soldering without emissions in environment of harmful smokes to health.



